WebTools for GemStone/S

ESUG 2011, Friday, 11:00 – 11:45 am

James Foster, Sr. Member Technical Staff



Abstract

GemStone/S 64 Bit includes a new goodie, WebTools, with which you can quickly and easily interact with a running GemStone system through a web browser. With WebTools you can browse code, view version information, view statistics, and analyze statmonitor files.

Presenter

Software Background

- As a junior-high student in 1971, I discovered the local university's computer center and a life-long obsession with computers began.
- I was introduced to Smalltalk/V for the Mac in the mid-90s, and became a Smalltalk bigot.
- I am on the Smalltalk Engineering team at VMware, and am a passionate advocate for GemStone and Seaside.

Past Careers

- Commercial Pilot
- Lawyer

Other interests

- Economics
- Politics
- Religion

- Existing tools
- Motivation
- Demo: WebTools in Action
- Design
- Demo: Adding a new tool
- JavaScript lessons
- Future

Existing tools

- Topaz
- Visual Statistics Display (VSD)
- GemBuilder for Smalltalk (GBS)
- GemTools
- Jade

Topaz

Primary GemStone/S user interface

- Used internally to create distribution image
- Used internally for testing and debugging
- Recommended for batch and maintenance jobs (backups, etc.)
- Preferred for reproducible bug reports

Command-line driven

- Analogous to command shell (bash): Enter command and get response
- Run, Dolt, & PrintIt to execute Smalltalk code

Debugger

View stack frames and variables

Applicability

- Low-level work by those comfortable with vi, emacs, and Unix
- Less comfortable for typical Smalltalker

Visual Statistics Display (VSD) - 1

Statmonitor

- The product distribution includes statmonitor, an executable that captures hundreds of statistics about a running GemStone/S system
- Statmonitor produces a text file of data (optionally compressed)
- Recommendation that all production systems capture this data constantly
 - Allows analysis in event of crash
 - Allows comparisons over time (how does this year compare to last year?)

VSD

- View statistics in graphics format
- Separate application (not part of product distribution)
- Cross-platform
- Templates for common issues
- Ability to zoom, combine, etc.

Visual Statistics Display (VSD) - 2

Issues

- TCL-based application
- Building third-party libraries on several platforms
- Cannot run if there is a space in the executable path
- Doesn't run on Windows 7
 - Actually, it just requires "XP Compatibility Mode"
- File size limits (sometimes there is a lot of data!)
- Font size

GemBuilder for Smalltalk (GBS)

- The traditional GUI-based tools
- Add-on library for client-based Smalltalk
 - Cincom Smalltalk
 - VA Smalltalk

Various GemStone/S tools

- Code browser
- Debugger
- UserProfile editor

Limitations

- Not free (GBS is not available for the 'no-cost' license)
- Requires installation and use of yet another product
- Most updating focuses on host Smalltalk changes

GemTools

Pharo-based tools for 'GLASS'

Various GemStone/S tools

- Code browser
- Debugger
- Monticello browser
- Metacello browser (new!)

Limitations

- Requires specific server-side code
- Requires installation and use of yet another product
- Many network round-trips to server
 - Impractical for remote (e.g., hosted) server
- GUI is based on OB

Jade

Microsoft Windows application

- Created in Dolphin
- Small footprint (EXE is 1.3 MB; takes ~8 MB of RAM)

Various GUI-based tools

- Monticello browser
- Code browser
- Debugger

Avoids 'two-object-space' problem

Built with Dolphin, but not (necessary to) run in Dolphin

Disadvantages

- Windows-only
- Yet another application to download and install
- · Unofficial 'goodie'

- Existing tools
- Motivation
- Demo: WebTools in Action
- Design
- Demo: Adding a new tool
- JavaScript lessons
- Future

Motivation

GUI

Light-weight

- Simple to install and use
- Minimal network and CPU usage

Cross-platform

Preferable with minimal effort

Extensible

Allow users to enhance

Experiment with new technology

Because it is fun!

- Existing tools
- Motivation
- Demo: WebTools in Action
- Design
- Demo: Adding a new tool
- JavaScript lessons
- Future

WebTools

- Open web browser on http://vienna:8080/
- Explore tools

- Existing tools
- Motivation
- Demo: WebTools in Action
- Design
- Demo: Adding a new tool
- JavaScript lessons
- Future

Design: Code in GemStone

Web Server

- One class, couple dozen methods
- Not a generalized web server
- Serves files in \$GEMSTONE/examples/www
- Returns Json for recognized methods
 - Search path for class and method to handle request
- Each 'tool' represented on server by subclass of Tool
 - Required class-side methods: #'displayName' and #'description'
 - Optional class-side methods: #'fileName' and #'sortOrder'
 - Required instance-side method: #'json'
 - Optional instance-side methods: any needed by client

Design: Files in the File System

- Place files in \$GEMSTONE/examples/www
- Convention
 - HTML in /
 - Simple JavaScript libraries in /scripts
 - Shared style in /css
 - Complex JavaScript frameworks in /
- Each tool identifies an html file in Tool class>>#'fileName'
 - By default, use class name, '.html'
- HTML for tool is obtained using Ajax call and then added to the existing document
 - Use embedded (or linked) JavaScript to add behavior
 - Use embedded (or linked) CSS to add style
- Okay to have HTML, JavaScript, and CSS in one file?

Why not Seaside?

Preference for a light-weight solution

- Development is in GemStone/S 64 Bit 3.0
- But should be easy to port to earlier versions, including older 32-bit product
- Seaside requires later 64-bit version

Expect heavy use of JavaScript

- Somewhat rigid to have server send HTML data
- Added #'printJsonOn:' to a handful of classes

Fair question!

- Desire to explore something else?
- Show some objectivity in advocacy by occasionally choosing something else!

Avi Bryant on Seaside

Smalltalk Solutions 2011

March 2011 in Las Vegas, Nevada, USA

Web Architecture Changes

- Old: Get/Post returning fat HTML file
- Seaside offers saving state on server
- New: Async background requests for Json
- Stateless interaction reduces value of saving state on server

What will Next Generation Web Framework Look Like?

- No components, no continuations, and no canvas
- Json builder with callbacks

- Existing tools
- Motivation
- Demo: WebTools in action
- Design
- Demo: Adding a new tool
- JavaScript lessons
- Future

Adding a Configuration Report Tool

Add ConfigurationReport class

- Copy and edit three class-side methods from VersionReport
- Copy and edit one instance-side method

Add ConfigurationReport.html file

- Copy VersionReport.html
- Edit JavaScript
- Edit CSS
- Edit HTML

- Existing tools
- Motivation
- Demo: WebTools in action
- Design
- Demo: Adding a new tool
- JavaScript lessons
- Future

JavaScript Lessons for a Smalltalker

- Editing in a text file vs. in an image
- Assignments & comparisons
 - = VS. :=
 - == and ===

Closures

- \$.each(list, function(index, each) { newList.add(this * 2); });
- list do: [:each | newList add: each].

Scope

- Block (curly braces) does not provide a scope
- Scope is limited by function
- Fifty-nine (59) reserved words
 - Cannot use for temporary variables and difficult to use for instance variables
- Not tiny: Chrome has 4 processes at 20 to 150 MB each

- Existing tools
- Motivation
- Demo: WebTools in action
- Design
- Demo: Adding a new tool
- JavaScript lessons
- Future

Future

Current Tools

- Code Browser: view/set breakpoints, class hierarchy, more context menus
- Statistics: zoom, multiple per chart, Al analysis
- Debugger: step, edit & continue

New Tools

- Inspector
- Monticello
- Metacello

Or nothing!

- Not an officially supported product
- Shipping in \$GEMSTONE/examples/www
- Feedback welcome

Questions?

James Foster

- jfoster@vmware.com
- http://programminggems.wordpress.com/